



ARC FLASH · FLAME · CUT · IMPACT

ARC-KEVLAR 8329

SKU **HAKSON-ARC-KEVLAR-8329**

GOATSKIN ARC-FLASH GLOVE · KEVLAR® LINED · IMPACT ARMoured

For crews who go hands-first into fire, live electrical equipment and heavy rescue. A treated goatskin shell, Kevlar® lining and stitched rubber armour protect against arc flash, flame, blades and impact, and still leave enough feel for fine work.

FIREFIGHTING & RESCUE

ELECTRICAL & UTILITY

EXTRICATION

INDUSTRIAL MAINTENANCE



BACK OF HAND


SHOWN: SIZE M

KEY FEATURES

- ARC RATED 35 CAL/CM², FLAME RESISTANT**
Treated goatskin shell resists flame and arc-flash exposure. Arc flash Level 3.
- REPELS WATER AND OIL**
Treated leather keeps its grip and stays supple in wet, oily work.
- ANSI A5 CUT, DUPONT™ KEVLAR® LINED**
Full Kevlar® cloth lining under the shell, rated ANSI A5 against cuts.
- IMPACT ARMOUR, KEVLAR® STITCHED**
Rubber moulds on knuckles, fingers and thumb, sewn on with Kevlar® thread. Padded palm. ANSI/ISEA 138 Level 2.
- HIGH DEXTERITY, CLOSE FIT**
0.8–0.9 mm goatskin gives a close, natural feel for tools and fasteners.

SIZES · CUFF COLOUR CODE

SEE P. 2



TESTED PERFORMANCE

EN 388:2016+A1:2018

3X33DP

3 ABRASION **X** COUP CUT **3** TEAR **3** PUNCTURE **D** TDM CUT **P** IMPACT

ANSI/ISEA 105

A5

CUT LEVEL

ANSI/ISEA 138

LV 2

IMPACT LEVEL

ARC FLASH · LV 3

35 CAL/CM²

ATPV · ASTM F2675

MADE IN PAKISTAN

Hakson Manufacturing & Exports (HME), Sialkot
ISO 9001:2015 · Cert. No. IC-QM-2606294

DISTRIBUTED IN CANADA BY

Insight Safety and Sports Inc.
6790 Davand Drive, Unit 14, Mississauga, ON

CONTACT

www.hakson.com
info@hakson.com

DuPont™ and Kevlar® are trademarks or registered trademarks of DuPont de Nemours, Inc. This is not an electrical insulating glove. Where there is a shock hazard, use rated rubber insulating gloves with leather protectors. Specifications may change without notice.



PALM · BACK

SHOWN: SIZE M

CONSTRUCTION

BUILT IN LAYERS

- 1 Goatskin shell, 0.8–0.9 mm.** Water and oil repellent, flame resistant.
- 2 DuPont™ Kevlar® cloth lining.** Cut protection under the leather.
- 3 Rubber impact moulds** on knuckles, fingers, thumb and back of hand.
- 4 Kevlar® thread stitching** holds each mould to the shell.
- 5 Padded palm** reinforcement for grip and wear.
- 6 Size-coded cuff binding** so sizes can be told apart at a glance (section 03).

01 MATERIALS

SHELL	Goatskin leather, 0.8–0.9 mm
TREATMENT	Water repellent, oil repellent, flame resistant
LINING	DuPont™ Kevlar® (para-aramid) cloth
IMPACT ARMOUR	Moulded rubber: knuckles, fingers, thumb
ATTACHMENT	Sewn on with Kevlar® thread
PALM	Padded reinforcement
CUFF	Slip-on, shirred wrist, size-coded binding
COLOUR	Tan leather, black rubber moulds

02 PERFORMANCE

EN 388:2016 +A1:2018	Abrasion	3
	Blade cut (coup)	X
	Tear	3
	Puncture	3
	Cut, TDM (ISO 13997)	D
	Impact (EN 13594)	P
ANSI/ISEA 105-2016	Cut (ASTM F2992)	A5
ANSI/ISEA 138-2019	Back-of-hand impact	Level 2
ASTM F2675	Arc rating (ATPV)	35 cal/cm ²
ARC FLASH	Protection level	Level 3

03 SIZE CHART & CUFF COLOUR CODE

HAND SIZES PER EN ISO 21420:2020

SIZE	XS	S	M	L	XL	2XL	3XL
CUFF BINDING	Brown	Red	Yellow	White	Green	Black	Grey
EN SIZE NO.	6	7	8	9	10	11	12
HAND CIRC. MM (IN)	152 (6)	178 (7)	203 (8)	229 (9)	254 (10)	279 (11)	305 (12)

Measure around the palm just below the knuckles, thumb excluded. Also made in 2XS (EN 5) and 4XL (EN 13); contact us for their cuff colours.



04 · PRODUCT MARKING

THE GLOVE LABEL

Every glove carries a sewn-in woven label on the back of the cuff, above the size-coded binding. It shows the brand, size, all four protection ratings and the full SKU with its size suffix, so buyers and inspectors can check a pair without opening the packaging.



SEWN-IN LABEL · ENLARGED

SHOWN: SIZE M

- 1 **Lightning bolt.** Marks an arc-rated product.
- 2 **Brand and size.** HAKSON shield, wordmark and size box.
- 3 **ANSI A5 cut.** ANSI/ISEA 105-2016.
- 4 **Arc flash 3 · 35 cal/cm².** ATPV per ASTM F2675.
- 5 **Impact level 2.** ANSI/ISEA 138-2019, back of hand.
- 6 **EN 388 · 3X33DP.** Mechanical risks pictogram and code.
- 7 **SKU + size suffix.** HAKSON-ARC-KEVLAR-8329-M

05 ORIGIN & COMPLIANCE

COUNTRY OF ORIGIN Pakistan	MANUFACTURER Hakson Manufacturing & Exports, Sialkot	ISO 9001:2015 CERT. IC-QM-2606294	DISTRIBUTOR (CANADA) Insight Safety and Sports Inc.
-------------------------------	---	--------------------------------------	--

STANDARDS REFERENCED

EN ISO 21420:2020

EN 388:2016+A1:2018

ANSI/ISEA 105-2016

ANSI/ISEA 138-2019

ASTM F2675

ISO 9001:2015

06 CARE & STORAGE

- Brush or wipe off dirt after use.
- Air dry at room temperature, away from direct heat and open flame.
- Store cool, dry and out of sunlight, in the original packaging until issued.
- Check the label before issue: the size suffix and cuff colour should match.

! LIMITATIONS OF USE

- **Not an electrical insulating glove.** Where there is a shock hazard, wear rated rubber insulating gloves with leather protectors.
- Not certified for structural firefighting (NFPA 1971 / EN 659) unless a certificate comes with the order.
- Inspect before each use. Replace if cut, scorched, soaked in fuel or solvent, or if a mould is loose.
- Do not wear near moving machinery where the glove could be caught.

MADE IN PAKISTAN

HME, Sialkot

ISO 9001:2015 · IC-QM-2606294

DISTRIBUTED IN CANADA BY

Insight Safety and Sports Inc.

6790 Davand Drive, Unit 14, Mississauga, ON

CONTACT

www.hakson.com

info@hakson.com



CUFF CODE **YELLOW = M**

ARC FLASH · FLAME · CUT · IMPACT

ARC-KEVLAR 8329

SKU **HAKSON-ARC-KEVLAR-8329-M**

GOATSKIN ARC-FLASH GLOVE · KEVLAR® LINED · IMPACT ARMoured



ANSI/ISEA 105-2016
CUT LEVEL A5



35 cal/cm²

ASTM F2675 · ATPV
ARC LEVEL 3 · 35 CAL/CM²

ANSI/ISEA 138



ANSI/ISEA 138-2019
BACK-OF-HAND IMPACT LV 2

EN 388



3X33DP

EN 388:2016+A1:2018
ABR 3 · TEAR 3 · PUNC 3 · TDM
D

- Flame resistant shell
- Water & oil repellent
- Kevlar® lining & thread
- Padded palm
- High dexterity

GENUINE HAKSON Every glove carries the sewn-in label shown on the back of this card. The SKU on the glove, carton and invoice is the same.



BACK OF HAND · SIZE M



PALM

BACK

01 MATERIALS & COMPONENTS

SHELL	Goatskin leather, 0.8–0.9 mm · water & oil repellent · flame resistant
LINING	DuPont™ Kevlar® para-aramid cloth
THREAD	DuPont™ Kevlar® para-aramid
IMPACT	Moulded rubber on knuckles, fingers, thumb and back of hand, sewn with Kevlar® thread
PALM	Padded goatskin reinforcement
CUFF	Slip-on, shirred wrist, size-coded binding

04 IDENTIFICATION & TRACEABILITY

BRAND	Hakson, own-brand product
MANUFACTURER	Hakson Manufacturing & Exports, Sialkot, Pakistan
QUALITY	ISO 9001:2015 · Cert. IC-QM-2606294
MARKING	Brand, size, all four ratings and SKU on each glove
PART NO.	Same SKU on glove label, carton and invoice
TEST REPORTS	[LAB · REPORT NO.] · copies on request

02 SIZE & CUFF COLOUR CODE

CUFF							
COLOUR	Brown	Red	Yellow	White	Green	Black	Grey
SIZE	XS	S	M	L	XL	2XL	3XL
EN NO.	6	7	8	9	10	11	12
HAND MM	152	178	203	229	254	279	305

The cuff binding colour shows the size at a glance. **This pair: yellow binding = M.** Hand circumference per EN ISO 21420:2020.

05 CARE

- Brush or wipe clean
- No machine wash or dry clean
- Store cool, dry, out of sun
- Air dry away from heat
- No bleach, iron or tumble dry
- Inspect before each use

WARNING

Not an electrical insulating glove. Where there is a shock hazard, use rated rubber insulating gloves with leather protectors. Not for structural firefighting (NFPA 1971 / EN 659). Replace if cut, scorched or soaked in fuel or solvent.



03 · SEWN-IN LABEL ON EVERY GLOVE



SIZES XS-3XL



CUFF COLOUR = SIZE

ARC FLASH · FLAME · CUT · IMPACT

ARC-KEVLAR 8329

SKU

HAKSON-ARC-KEVLAR-8329

GOATSKIN ARC-FLASH GLOVE · KEVLAR® LINED · IMPACT ARMoured



ANSI/ISEA 105-2016
CUT LEVEL A5



35 cal/cm²

ASTM F2675 · ATPV
ARC LEVEL 3 · 35 CAL/CM²

ANSI/ISEA 138



ANSI/ISEA 138-2019
BACK-OF-HAND IMPACT LV 2

EN 388



3X33DP

EN 388:2016+A1:2018
ABR 3 · TEAR 3 · PUNC 3 · TDM
D

- Flame resistant shell
- Water & oil repellent
- Kevlar® lining & thread
- Padded palm
- High dexterity

GENUINE HAKSON Every glove carries the sewn-in label shown on the back of this card. The SKU on the glove, carton and invoice is the same.



BACK OF HAND · SIZE M SHOWN

ARC FLASH RESCUE GLOVE

MADE IN PAKISTAN BY HME · ISO 9001:2015 IC-QM-2606294

www.hakson.com



PALM

BACK

01 MATERIALS & COMPONENTS

SHELL	Goatskin leather, 0.8–0.9 mm · water & oil repellent · flame resistant
LINING	DuPont™ Kevlar® para-aramid cloth
THREAD	DuPont™ Kevlar® para-aramid
IMPACT	Moulded rubber on knuckles, fingers, thumb and back of hand, sewn with Kevlar® thread
PALM	Padded goatskin reinforcement
CUFF	Slip-on, shirred wrist, size-coded binding

04 IDENTIFICATION & TRACEABILITY

BRAND	Hakson, own-brand product
MANUFACTURER	Hakson Manufacturing & Exports, Sialkot, Pakistan
QUALITY	ISO 9001:2015 · Cert. IC-QM-2606294
MARKING	Brand, size, all four ratings and SKU on each glove
PART NO.	Same SKU on glove label, carton and invoice
TEST REPORTS	[LAB · REPORT NO.] · copies on request

02 SIZE & CUFF COLOUR CODE

CUFF							
COLOUR	Brown	Red	Yellow	White	Green	Black	Grey
SIZE	XS	S	M	L	XL	2XL	3XL
EN NO.	6	7	8	9	10	11	12
HAND MM	152	178	203	229	254	279	305
IN PACK	☐	☐	☐	☐	☐	☐	☐

The cuff binding colour shows the size at a glance. Full SKU adds the size, e.g. -M. Hand sizes per EN ISO 21420:2020.

05 CARE

- Brush or wipe clean
- No machine wash or dry clean
- Store cool, dry, out of sun
- Air dry away from heat
- No bleach, iron or tumble dry
- Inspect before each use

WARNING

Not an electrical insulating glove. Where there is a shock hazard, use rated rubber insulating gloves with leather protectors. Not for structural firefighting (NFPA 1971 / EN 659). Replace if cut, scorched or soaked in fuel or solvent.



03 · SEWN-IN LABEL (SIZE M SHOWN)